	Application No.	Applicant(s)
	10/523,202	SMITH, MATHEW JOHN
Notice of Allowability	Examiner	Art Unit
	Chuck Mah	3677
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment filed on Jan. 29, 2007.</u>		
2. The allowed claim(s) is/are <u>24,25,29,37-43 and 45</u> .		
 3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE", of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of		
Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of		
each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the		
attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892)	5. Notice of Informal Page	atent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Date 7. ⊠ Examiner's Amendr	
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Stateme	nt of Reasons for Allowance
of Biological Material	9.	

Application/Control Number: 10/523,202 Page 2

Art Unit: 3677

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the Specification,

Page 1,

between lines 1 and 2, inserted

--Field Of The Invention--,

between lines 3 and 4, inserted

--Background Of The Invention--,

between lines 13 and 14, inserted

--Summary Of The Invention--,

Page 3,

between lines 20 and 21, inserted

--Brief Description Of The Drawings--,

Page 4,

between lines 6 and 7, inserted

-- Detailed Description Of The Invention--.

Application/Control Number: 10/523,202 Page 3

Art Unit: 3677

In claim 25,

line 1, changed "means" to -strip--,

line 2, changed "plate" to -mounting plate--.

In claim 37,

line 1, changed "claim 36" to -claim 24--.

2. The following is an examiner's statement of reasons for allowance: Prior art of record fails to show the restricting device having the combination as claimed, including a support plate aperture having a feature for prevent the a key head protrusion to turn beyond a predetermined angle. Gledhill '899 neither shows a support plate nor an aperture with a feature for preventing a tool or a key from turning beyond any predetermined angle. '899 has a slot 65 formed in the mounting plate to allow a screwdriver to pull, not rotate, the clip in a longitudinal direction. There is no viable reason to add a support plate and an aperture with a feature for preventing the tool or a key from turning. Further, although FR '845 shows an aperture 18' in a support plate 8 to mainly provide a bearing surface for the plugs 20, there is still no practical reason to form a feature in the aperture to prevent any tool from rotating. Forming a stop in the aperture would render the key or tool inoperable.

Art Unit: 3677

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chuck Mah whose telephone number is (571)272-7059. The examiner can normally be reached on 5/4-9.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Judy Swann can be reached on (571)272-7075. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Chuek Mahr Primary Examiner Art Unit 3677